

## Daily Soda Consumption (School-age)

### Daily Soda Consumption (School-age)

- Most recent data (2012): 27% of King County youth attending public schools in the 6th,8th,10th and 12th grades.
- Trend over time: 2004-12: falling
- Description: Drank one or more non-diet sodas yesterday
- Healthy People 2020 Goal: None listed for this indicator.

Daily soda consumption (school-age), King County, 2010 and 2012 average

	Percent	Lower CI	Upper CI
<b>King County</b> (school-age in 6th, 8th, 10th and 12th grades)	29	28	30
<b>GRADE</b>			
Grade 6	27	26	28
Grade 8	32	31	34
Grade 10	30	28	31
Grade 12	30	29	31
<b>GENDER</b>			
Male	34	33	35
Female	25	24	25
<b>RACE/ETHNICITY</b>			
AIAN	36	33	40
Asian	25	24	27
Black	34	33	36
Hispanic	39	37	40
Multiple	31	29	32
NHPI	36	33	39
White	27	26	28
Other	30	28	31
<b>REGION</b>			
East	25	24	26
North	26	24	27
Seattle	29	27	31
South	34	33	35
<b>STATE</b>			
Washington State	34	33	35

#### Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

#### Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


CI is 95% Confidence Interval.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

## Daily soda consumption (school-age) King County, 2010 and 2012 average



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


[-----] Confidence interval shows range that includes true value 95% of the time.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Data by income or poverty level not available.

**Daily soda consumption (school-age) by regions  
King County, 2010 and 2012 average**



Source: Healthy Youth Survey.  
Prepared by Public Health - Seattle & King County, APDE, 08/2016.  
N/A: Not available.

# Daily soda consumption (school-age) King County, 2004-2012



Trends over time: King County (2004-12: falling); East KC (2004-12: falling); North KC (2004-12: falling); Seattle (2004-12: falling); South KC (2004-12: falling); Washington State (2004-12: falling)  
 Prepared by Public Health - Seattle & King County, APDE, 08/2016.  
 Source: Healthy Youth Survey.  
 South KC (2004-12: falling); Washington State (2004-12: falling)

Produced by the  
[Assessment, Policy Development & Evaluation Unit](#)  
[Public Health - Seattle & King County](#)  
 08/16